

Health Information Technology: Integration of Clinical Workflow into Meaningful Use of Electronic Health Records

by Felicia M. Bowens, MSM; Patricia A. Frye, MPH, MPA, DrPH; and Warren A. Jones, MD, FAAFP

Abstract

This article examines the role that clinical workflow plays in successful implementation and meaningful use of electronic health record (EHR) technology in ambulatory care. The benefits and barriers of implementing EHRs in ambulatory care settings are discussed. The researchers conclude that widespread adoption and meaningful use of EHR technology rely on the successful integration of health information technology (HIT) into clinical workflow. Without successful integration of HIT into clinical workflow, clinicians in today's ambulatory care settings will continue to resist adoption and implementation of EHR technology.

Key words: electronic health record (EHR), health information technology (HIT), clinical workflow, productivity, meaningful use, ambulatory care

Introduction

Recent studies show that the adoption of health information technology (HIT) across care settings can lead to greater efficiency, better access to quality healthcare, and patient safety.¹⁻⁷ Studies show that implementation of HIT may improve health outcomes, reduce medication errors, augment chronic disease management, reduce health disparities, and offer substantial cost savings.⁸⁻¹⁸ Despite these benefits, clinicians continue to be reluctant to integrate health information technologies such as electronic health records (EHRs) into ambulatory care settings, as shown in Table 1. Studies report that clinicians have concerns over the potential effects of HIT on clinical workflow and productivity.¹⁹⁻²² This article examines whether EHR technology can be seamlessly integrated into clinical workflow in ambulatory care settings in a meaningful way. Specifically, this article addresses issues related to barriers hindering HIT implementation, the prospective benefits of HIT adoption, and the important role clinical workflow plays in successful implementation and meaningful use of EHRs in ambulatory care.

Background

In recent years, the healthcare industry has seen a widespread effort to move the nation toward use of interoperable health information technologies. Emphasis has been placed on the adoption of a national health information exchange network by 2014.²³ Literature has indicated that implementation of

technologies such as EHRs can offer numerous benefits for both patients and clinicians. The adoption and implementation of EHRs can transform delivery of patient care, improve patient outcomes, and improve patient safety by reducing medical mistakes and preventing unwarranted surgical procedures.²⁴⁻³⁰ Successful implementation of EHRs may lessen health disparities, reduce prescription drug errors, and provide substantial cost savings by reducing wasteful spending and reducing unnecessary duplication of procedures.³¹⁻⁴¹ Movement toward widespread adoption, however, has been relatively slow.⁴² Current research shows that between 2008 and 2009, approximately 4 to 6 percent of clinicians nationwide were estimated to be utilizing a “fully functional” EHR system that encompassed health information data, order-entry management, results management, and clinical decision support,⁴³⁻⁴⁸ while an estimated 13 to 20.5 percent of clinicians currently use “basic” EHR systems that include minimal features such as patient data and prescription ordering.⁴⁹⁻⁵³ Studies document that cost, lack of funding, physician resistance, fear of change, loss of revenue, lack of vision, privacy and confidentiality concerns, physicians’ apprehension over return on investment, and worries over time investment are among the many obstacles that impede EHR adoption.⁵⁴⁻⁶⁰ While cost, lack of funding, and concerns over privacy and security are important barriers to overcome, EHR adoption ultimately rests on the removal of physician resistance.⁶¹ Research shows that clinicians heavily weigh the potential effects of EHRs on routine workflow.^{62, 63} Consequently, movement toward full EHR implementation has not been realized across ambulatory care settings. The integration of EHR technology into routine clinical workflow has become an emerging research topic within the fields of health information technology and health information management.

Integration of Clinical Workflow

Increasingly becoming recognized as an essential component to successful integration of EHR technology in ambulatory care, clinical workflow is often characterized in terms of the pattern of actions clinicians utilize to perform routine tasks and generate results.⁶⁴⁻⁶⁶ Clinical workflow encompasses a wide range of tasks, as shown in Table 2.⁶⁷ As stated by Leu et al., “Understanding the full clinical context for health IT to the level of task, resources, and workflow is a necessary prerequisite for successful adoption of health IT and measurement of its diffusion.”⁶⁸

It is reasonable to expect that clinicians working through the complexity of these diverse tasks may have concerns over EHR implementation and the potential impact it may have on routine workflow and productivity. Nevertheless, with the enactment of the “meaningful EHR user” provisions established within the American Recovery and Reinvestment Act of 2009 (ARRA) and the “meaningful use” criteria proposed by the Centers for Medicare and Medicaid Services (CMS), clinicians must now contemplate how “meaningful use” plays a role in the overall integration of EHR technology into ambulatory care settings.^{69, 70} To be recognized as “meaningful EHR users,” clinicians must move toward the demonstration of three fundamental criteria framed by specifications established in the ARRA.⁷¹ According to these criteria, clinicians must demonstrate that they are

- using certified EHR technology including electronic prescribing in a substantial way,
- exchanging health information, and using data exchanged to advance the quality of healthcare delivery, and
- reporting clinical measures.

These criteria lay the foundation for the connection between successful EHR implementation and meaningful application of EHR technology.⁷²

Be that as it may, for meaningful application of EHR technologies to become apparent, EHR implementation in ambulatory care settings has to produce minimal interference with clinical workflow.⁷³ As reported by Lorenzi et al., EHR implementation encompasses a number of stages, as shown in Figure 1.⁷⁴ Within each stage, clinicians have the painstaking task of developing strategies to address latent

issues that may impede workflow before, during, and after implementation.⁷⁵ In various surveys of clinicians with EHR systems, clinicians expressed a number of concerns relevant to EHR implementation and workflow. Among these concerns are difficulty selecting the type of EHR equipment and the level of functionality necessary to incorporate the EHR system into clinical practice, maneuvering through the different interface templates and forms, and inputting data into an EHR system while interacting with patients.^{76, 77} These areas of workflow integration are most likely to have the greatest effect on workflow dynamics. Physicians also express having trouble with management of alerts (especially false positives), capturing data in a timely fashion, and typing with skillful proficiency.⁷⁸⁻⁸⁰ Without appropriate selection of and training on the appropriate EHR system in the transition phases, clinicians run the risk of having the EHR system negatively impact workflow and productivity.⁸¹

Nonetheless, clinicians can undertake various approaches to ensure incorporation of clinical workflow into EHR technology at the onset of implementation, as shown in Figure 2. With the use of techniques such as workflow assessments and workflow diagrams, clinicians can establish appropriate procedures to ensure that EHR implementation will cause minimal disruption to workflow and productivity.⁸²⁻⁸⁵ Utilizing workflow assessments in the preimplementation phase, clinicians can gain a better understanding of the various patterns that create routine workflow in their clinical settings.⁸⁶ As demonstrated in Figure 3, clinicians must consider and address various questions to fully assess and properly analyze clinical workflow. Additionally, incorporating the use of workflow diagrams, clinicians can begin to understand the blueprint that forms the workflow within their individual care settings, as illustrated in Figure 4.⁸⁷ Recognizing that each clinician's workflow pattern is unique, clinicians can utilize assessments and diagrams to help them modify their individual implementation plans.⁸⁸⁻⁹⁰ Based on these thorough assessments, clinicians may find it necessary to redesign their internal clinical workflow processes to ensure productivity is optimized and seamless integration of EHR technology with clinical workflow is achieved.⁹¹⁻⁹³ As one study describes, EHR systems can be the catalyst that encourages clinicians to rethink workflow.⁹⁴ Employing workflow redesign, clinicians can conceivably attain outcomes that not only are advantageous for patients but also offer clinicians a return on their investment.⁹⁵ For clinicians, the standards underlying the revamping of workflow should always be focused on improving patient safety, enhancing the quality of patient data collected, enriching workflow efficiency, and improving distribution of workflow tasks.⁹⁶

As clinicians pursue various approaches to reengineering workflow, they may use a number of technologies to interface with EHR systems in order to maximize meaningful use and optimize clinical workflow. The integration of technologies such as automated data uploads, personal digital assistants (PDAs), and voice-recognition software can offer clinicians the customized tools needed to successfully work through postimplementation changes to workflow.⁹⁷⁻¹⁰¹ Studies document that the incorporation of automated uploads of vital signs data and the use of technology such as PDAs and voice-recognition software can be used to alleviate potential lapses in productivity and workflow.¹⁰²⁻¹⁰⁶ In a study conducted by Smith et al., the use of automated vital sign upload technology and PDAs was shown to improve clinical workflow in terms of recording of vital sign statistics.¹⁰⁷ The results suggested that the use of automated uploads and PDA technology offers clinicians an opportunity to increase vital sign data precision, reduce human inaccuracies, and improve patient well-being.¹⁰⁸ Similarly, a study conducted by Esper et al. implied that the use of technologies such as voice-recognition software and scanning software could also be beneficial to clinical workflow.¹⁰⁹ Hence, utilizing a combination of these technologies, clinicians may be able to lessen the challenge EHRs may pose to productivity and workflow. Nevertheless, if clinicians choose to utilize these technologies to minimize the impact of EHR implementation on their workflow, clinicians will require proper training for the technologies to be effortlessly integrated into clinical workflow in a meaningful way.¹¹⁰

In order to successfully implement HIT in ambulatory care settings, clinicians must also examine how organizational dynamics such as leadership and change management may impact the successful integration of EHR technology with the clinical workflow.^{111, 112} Outside of workflow redesign, EHR

implementation necessitates that clinicians rethink internal organizational elements that can significantly influence EHR success.¹¹³ Research shows that the addition of a champion within the organization to engage and educate clinical staff on the long-term advantages of an EHR system to routine workflow is a vital element of successful implementation.¹¹⁴⁻¹¹⁶ The fundamental role of the EHR champion is to promote the benefits of EHR systems for the workflow, including improvements to workflow efficiency, enhancement of patient safety, and improvements to delivery of care.^{117, 118} Research shows that in addition to establishing EHR champions, change management is also an important element for achieving successful integration of EHR technology into the clinical workflow.¹¹⁹⁻¹²¹ In order to support EHR success, change management must be a collaborative effort among EHR champions and clinical staff.^{122, 123} As the leader of change, the EHR champion must engage staff and seek continuous feedback from staff throughout the implementation process.¹²⁴ Recognizing and, when appropriate, acting on the comments of clinical staff, the champion can develop strategies to quickly address issues or concerns that may occur to ensure productivity remains high and the workflow remains efficient.¹²⁵

Conclusion

The widespread adoption of EHR technology across ambulatory care settings is likely to occur in the near future. EHR systems will eventually become a central tool of common practice among clinicians nationwide.¹²⁶ Nonetheless, the road to adoption remains slow, as clinicians continue to work toward successfully integrating significant and meaningful use of EHRs into the clinical workflow. With the passage of healthcare reform and the Health Information Technology for Economic and Clinical Health (HITECH) Act, the landscape in which clinicians operate is steadily changing. The integration of HIT into ambulatory care is inevitable; thus, clinicians in ambulatory care settings have to move beyond concerns over disruptions to clinical workflow. Instead, clinicians have to embrace the potential long-term benefits that EHRs present for the overall improvement of healthcare quality and must search for ways to infuse EHR technology into routine workflow. Nonetheless, successful integration of EHR technology into clinical workflow will require synergy between multiple approaches.

Felicia M. Bowens, MSM, is project manager of the Health Information Technology Core for the University of Mississippi Medical Center's Institute for Improvement of Minority Health and Health Disparities in the Delta Region in Jackson, Mississippi.

Patricia A. Frye, MPH, MPA, DrPH, is Director of the Evaluation Core for the University of Mississippi Medical Center's Institute for Improvement of Minority Health and Health Disparities in the Delta Region in Jackson, Mississippi.

Warren A. Jones, MD, FAAFP, is a professor of family medicine and professor of anesthesiology at the University of Mississippi Medical Center and the Executive Director of the Institute for Improvement of Minority Health and Health Disparities in the Delta Region in Jackson, Mississippi.

This paper was funded by the Department of Health and Human Services' Office of Minority Health (Prime Award Number 1 CPIMP091054-01-00). This paper was written, in part, under a grant from the University of Mississippi Medical Center's Institute for Improvement of Minority Health and Health Disparities in the Delta Region, whose quest is to eliminate health disparities.

The findings, opinions, and recommendations expressed herein are those of the authors and not necessarily those of the University of Mississippi Medical Center or the Department of Health and Human Services.

Notes

1. Government Accountability Office. *Health Information Technology: Federal Agencies' Experiences Demonstrate Challenges to Successful Implementation*. (Publication No. GAO-09-312T). Washington, DC: Government Accountability Office, 2009. Available at <http://www.gao.gov/new.items/d09312t.pdf>.
2. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings." *BMC Medical Informatics and Decision Making* 9, no. 15 (2009). Available at <http://www.biomedcentral.com/1472-6947/9/15>.
3. Bramble, James D., Kim A. Galt, Mark V. Siracuse, Amy A. Abbott, Andjela Drincic, Karen A. Paschal, and Kevin T. Fuji. "The Relationship between Physician Practice Characteristics and Physician Adoption of Electronic Health Records." *Health Care Management Review* 35, no. 1 (January–March 2010): 55–64.
4. Thakkar, Minal, and Diane C. Davis. "Risks, Barriers, and Benefits of EHR Systems: A Comparative Study Based on Size of Hospital." *Perspectives in Health Information Management* 3, no. 5 (Summer 2006).
5. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls." *Obstetrics and Gynecology Clinics of North America* 35, no. 1 (March 2008): 63–79.
6. Wyne, Kathleen. "Information Technology for the Treatment of Diabetes: Improving Outcomes and Controlling Cost." *Journal of Managed Care Pharmacy* 14, no. 2, suppl. S-A (2008): S12–S17.
7. Esper, Gregory J., Oksana Droган, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice." *Neurologic Clinics* 28, no. 2 (2010): 411–27.
8. Government Accountability Office. *Health Information Technology: Federal Agencies' Experiences Demonstrate Challenges to Successful Implementation*.
9. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
10. Bramble, James D., Kim A. Galt, Mark V. Siracuse, Amy A. Abbott, Andjela Drincic, Karen A. Paschal, and Kevin T. Fuji. "The Relationship between Physician Practice Characteristics and Physician Adoption of Electronic Health Records."
11. Thakkar, Minal, and Diane C. Davis. "Risks, Barriers, and Benefits of EHR Systems: A Comparative Study Based on Size of Hospital."
12. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
13. Wyne, Kathleen. "Information Technology for the Treatment of Diabetes: Improving Outcomes and Controlling Cost."
14. Esper, Gregory J., Oksana Droган, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
15. Halamka, John D. "Making the Most of Federal Health Information Technology Regulations." *Health Affairs* 29, no. 4 (2010): 596–600.

16. Moiduddin, Adil, and Jonathan Moore. *The Underserved and Health Information Technology: Issues and Opportunities*. Paper prepared for the Office of the Assistant Secretary for Planning and Evaluation and U.S. Department of Health and Human Services, November 2008. Available at <http://aspe.hhs.gov/sp/reports/2009/underserved/report.pdf>.
17. Hook, J. M., Erin Grant, and Anita Samarth. *Health Information Technology and Health Information Exchange Implementation in Rural and Underserved Areas: Findings from the AHRQ Health IT Portfolio* (AHRQ Publication No. 10-0047-EF). Rockville, MD: Agency for Healthcare Research and Quality, February 2010.
18. "Health IT Gold Rush Under Way." *Health Affairs* 29, no. 4 (2010): 583–84.
19. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
20. Bates, D. W., M. Ebell, E. Gotlieb, J. Zapp, and H. C. Mullins. "A Proposal for Electronic Medical Records in U.S. Primary Care." *Journal of the American Medical Informatics Association* 10, no. 1 (2003): 1–10.
21. Zandieh, Stephanie O., Kahyun Yoon-Flannery, Gilad J. Kuperman, Daniel J. Langsam, Daniel Hyman, and Rainu Kaushal. "Challenges to EHR Implementation in Electronic-Versus Paper-Based Office Practices." *Journal of General Internal Medicine* 23, no. 6 (2008): 755–61.
22. Handel, Daniel A., and Jeffery L. Hackman. "Computers in Emergency Medicine: Implementing Electronic Health Records in the Emergency Department." *Journal of Emergency Medicine* 38, no. 2 (2010): 257–63.
23. Department of Health and Human Services, Office of the National Coordinator for Health Information Technology. *The National Alliance for Health Information Technology Report to the Office of the National Coordinator for Health Information Technology on Defining Key Health Information Technology Terms*. April 28, 2008. Available at http://healthit.hhs.gov/portal/server.pt/gateway/PTARGS_0_10741_848133_0_0_18/10_2_hit_terms.pdf.
24. Government Accountability Office. *Health Information Technology: Federal Agencies' Experiences Demonstrate Challenges to Successful Implementation*.
25. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
26. Bramble, James D., Kim A. Galt, Mark V. Siracuse, Amy A. Abbott, Andjela Drincic, Karen A. Paschal, and Kevin T. Fuji. "The Relationship between Physician Practice Characteristics and Physician Adoption of Electronic Health Records."
27. Thakkar, Minal, and Diane C. Davis. "Risks, Barriers, and Benefits of EHR Systems: A Comparative Study Based on Size of Hospital."
28. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
29. Wyne, Kathleen. "Information Technology for the Treatment of Diabetes: Improving Outcomes and Controlling Cost."
30. Esper, Gregory J., Oksana Drohan, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."

31. Government Accountability Office. *Health Information Technology: Federal Agencies' Experiences Demonstrate Challenges to Successful Implementation.*
32. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
33. Bramble, James D., Kim A. Galt, Mark V. Siracuse, Amy A. Abbott, Andjela Drincic, Karen A. Paschal, and Kevin T. Fuji. "The Relationship between Physician Practice Characteristics and Physician Adoption of Electronic Health Records."
34. Thakkar, Minal, and Diane C. Davis. "Risks, Barriers, and Benefits of EHR Systems: A Comparative Study Based on Size of Hospital."
35. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
36. Wyne, Kathleen. "Information Technology for the Treatment of Diabetes: Improving Outcomes and Controlling Cost."
37. Esper, Gregory J., Oksana Drogan, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
38. Halamka, John D. "Making the Most of Federal Health Information Technology Regulations."
39. Moiduddin, Adil, and Jonathan Moore. *The Underserved and Health Information Technology: Issues and Opportunities.*
40. Hook, J. M., Erin Grant, and Anita Samarth. *Health Information Technology and Health Information Exchange Implementation in Rural and Underserved Areas: Findings from the AHRQ Health IT Portfolio.*
41. "Health IT Gold Rush Under Way."
42. Byrne, Colene M., Lauren M. Mercincavage, Eric C. Pan, Adam G. Vincent, Douglas S. Johnston, and Blackford Middleton. "The Value from Investments in Health Information Technology at the U.S. Department of Veterans Affairs." *Health Affairs* 29, no. 4 (2010): 629–38.
43. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
44. Esper, Gregory J., Oksana Drogan, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
45. "Health IT Gold Rush Under Way."
46. DesRoches, Catherine M., Eric G. Campbell, Sowmya R. Rao, Karen Donelan, Timothy G. Ferris, Ashish Jha, Rainu Kaushal, Douglas E. Levy, Sara Rosenbaum, Alexandra E. Shields, and David Blumenthal. "Electronic Health Records in Ambulatory Care: A National Survey of Physicians." *New England Journal of Medicine* 359 (2008): 50–60.
47. Hsiao, Chun-Ju, Paul C. Beatty, Esther S. Hing, David A. Woodwell, Elizabeth A. Rechtsteiner, and Jane E. Sisk. *Electronic Medical Record/Electronic Health Record Use by Office-Based Physicians: United States, 2008 and Preliminary 2009.* Hyattsville, MD: Centers for Disease Control and Prevention, National Center for Health Statistics, December 2009.

48. Box, Tamara L., Mary McDonnell, Christian D. Helfrich, Robert L. Jesse, Stephan D. Fihn, and John S. Rumsfeld. "Strategies from a Nationwide Health Information Technology Implementation: The VA CART Story." *Journal of General Internal Medicine* 25, suppl. 1 (2009): 72–76.
49. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
50. Esper, Gregory J., Oksana Drogan, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
51. DesRoches, Catherine M., Eric G. Campbell, Sowmya R. Rao, Karen Donelan, Timothy G. Ferris, Ashish Jha, Rainu Kaushal, Douglas E. Levy, Sara Rosenbaum, Alexandra E. Shields, and David Blumenthal. "Electronic Health Records in Ambulatory Care: A National Survey of Physicians."
52. Hsiao, Chun-Ju, Paul C. Beatty, Esther S. Hing, David A. Woodwell, Elizabeth A. Rechtsteiner, and Jane E. Sisk. *Electronic Medical Record/Electronic Health Record Use by Office-Based Physicians: United States, 2008 and Preliminary 2009*.
53. Box, Tamara L., Mary McDonnell, Christian D. Helfrich, Robert L. Jesse, Stephan D. Fihn, and John S. Rumsfeld. "Strategies from a Nationwide Health Information Technology Implementation: The VA CART Story."
54. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
55. Thakkar, Minal, and Diane C. Davis. "Risks, Barriers, and Benefits of EHR Systems: A Comparative Study Based on Size of Hospital."
56. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
57. Esper, Gregory J., Oksana Drogan, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
58. Bates, D. W., M. Ebell, E. Gotlieb, J. Zapp, and H. C. Mullins. "A Proposal for Electronic Medical Records in U.S. Primary Care."
59. Garrett, Paula, Andrew Brown, Susan Hart-Hester, Elgenaid Hamadain, Corey Dixon, William Pierce, and William J. Rudman. "Identifying Barriers to the Adoption of New Technology in Rural Hospitals: A Case Report." *Perspectives in Health Information Management* 3, no. 9 (Fall 2006).
60. Torda, Phyllis, Esther S. Han, and Sarah Hudson Scholle. "Easing the Adoption and Use of Electronic Health Records in Small Practices." *Health Affairs* 29, no. 4 (2010): 668–75.
61. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
62. Zandieh, Stephanie O., Kahyun Yoon-Flannery, Gilad J. Kuperman, Daniel J. Langsam, Daniel Hyman, and Rainu Kaushal. "Challenges to EHR Implementation in Electronic-Versus Paper-Based Office Practices."

63. Garrett, Paula, Andrew Brown, Susan Hart-Hester, Elgenaid Hamadain, Corey Dixon, William Pierce, and William J. Rudman. "Identifying Barriers to the Adoption of New Technology in Rural Hospitals: A Case Report."
64. Niazkhani, Zahra, Habibollah Pirnejad, Marc Berg, and Jos Aarts. "The Impact of Computerized Provider Order Entry Systems on Inpatient Clinical Workflow: A Literature Review." *Journal of the American Medical Informatics Association* 16 (2009): 539–49.
65. Lee, Jason, and Adele Shartzer. *Questions and Answer Brief: Health IT and Workflow in Small Physicians' Practices*. NIHCM Foundation, April 2005. Available at <http://www.nihcm.org/pdf/AHRQ-QandA.pdf>.
66. Lee, Jason, Carol Cain, Scott Young, Nancy Chockley, and Helen Burstin. "The Adoption Gap: Health Information Technology in Small Physician Practices." *Health Affairs* 24, no. 5 (2005): 1364–66. Available at <http://content.healthaffairs.org/cgi/content/abstract/24/5/1364>.
67. Lee, Jason, and Adele Shartzer. *Questions and Answer Brief: Health IT and Workflow in Small Physicians' Practices*.
68. Leu, Michael G., Ming Cheung, Tashonna R. Webster, Leslie Curry, Elizabeth H. Bradley, Judith Fifield, and Helen Burstin. "Centers Speak Up: The Clinical Context for Health Information Technology in the Ambulatory Care Setting." *Journal of General Internal Medicine* 23, no. 4 (2007): 372–78.
69. Centers for Medicare and Medicaid Services. "Fact Sheet: CMS Proposes Definition of Meaningful Use of Certified Electronic Health Records (EHR) Technology." December 30, 2009. Available at <http://www.cms.hhs.gov/apps/media/press/factsheet.asp?Counter=3564>.
70. U.S. Congress. "American Recovery and Reinvestment Act of 2009." HR 1, 111th Cong., 2009. Available at http://frwebgate.access.gpo.gov/cgi-bin/getdoc.cgi?dbname=111_cong_bills&docid=f:h1enr.pdf.
71. Ibid.
72. Ibid.
73. Box, Tamara L., Mary McDonell, Christian D. Helfrich, Robert L. Jesse, Stephan D. Fihn, and John S. Rumsfeld. "Strategies from a Nationwide Health Information Technology Implementation: The VA CART Story."
74. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
75. Ibid.
76. Zandieh, Stephanie O., Kahyun Yoon-Flannery, Gilad J. Kuperman, Daniel J. Langsam, Daniel Hyman, and Rainu Kaushal. "Challenges to EHR Implementation in Electronic-Versus Paper-Based Office Practices."
77. Unertl, Kim M., Matthew B. Weinger, Kevin B. Johnson, and Nancy M. Lorenzi. "Describing and Modeling Workflow and Information Flow in Chronic Disease Care." *Journal of the American Medical Informatics Association* 16 (2009): 826–36.
78. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."

79. Zandieh, Stephanie O., Kahyun Yoon-Flannery, Gilad J. Kuperman, Daniel J. Langsam, Daniel Hyman, and Rainu Kaushal. "Challenges to EHR Implementation in Electronic-Versus Paper-Based Office Practices."
80. Unertl, Kim M., Matthew B. Weinger, Kevin B. Johnson, and Nancy M. Lorenzi. "Describing and Modeling Workflow and Information Flow in Chronic Disease Care."
81. Zandieh, Stephanie O., Kahyun Yoon-Flannery, Gilad J. Kuperman, Daniel J. Langsam, Daniel Hyman, and Rainu Kaushal. "Challenges to EHR Implementation in Electronic-Versus Paper-Based Office Practices."
82. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
83. Leu, Michael G., Ming Cheung, Tashonna R. Webster, Leslie Curry, Elizabeth H. Bradley, Judith Fifield, and Helen Burstin. "Centers Speak Up: The Clinical Context for Health Information Technology in the Ambulatory Care Setting."
84. Niazkhani, Zahra, Habibollah Pirnejad, Marc Berg, and Jos Aarts. "The Impact of Computerized Provider Order Entry Systems on Inpatient Clinical Workflow: A Literature Review."
85. Unertl, Kim M., Matthew B. Weinger, Kevin B. Johnson, and Nancy M. Lorenzi. "Describing and Modeling Workflow and Information Flow in Chronic Disease Care."
86. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
87. Leu, Michael G., Ming Cheung, Tashonna R. Webster, Leslie Curry, Elizabeth H. Bradley, Judith Fifield, and Helen Burstin. "Centers Speak Up: The Clinical Context for Health Information Technology in the Ambulatory Care Setting."
88. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
89. Zandieh, Stephanie O., Kahyun Yoon-Flannery, Gilad J. Kuperman, Daniel J. Langsam, Daniel Hyman, and Rainu Kaushal. "Challenges to EHR Implementation in Electronic-Versus Paper-Based Office Practices."
90. Leu, Michael G., Ming Cheung, Tashonna R. Webster, Leslie Curry, Elizabeth H. Bradley, Judith Fifield, and Helen Burstin. "Centers Speak Up: The Clinical Context for Health Information Technology in the Ambulatory Care Setting."
91. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
92. Lee, Jason, Carol Cain, Scott Young, Nancy Chockley, and Helen Burstin. "The Adoption Gap: Health Information Technology in Small Physician Practices."
93. Unertl, Kim M., Matthew B. Weinger, Kevin B. Johnson, and Nancy M. Lorenzi. "Describing and Modeling Workflow and Information Flow in Chronic Disease Care."
94. Esper, Gregory J., Oksana Drohan, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
95. Lee, Jason, Carol Cain, Scott Young, Nancy Chockley, and Helen Burstin. "The Adoption Gap: Health Information Technology in Small Physician Practices."

96. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
97. Esper, Gregory J., Oksana Droган, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
98. Holden, Richard J. "Physicians' Beliefs about Using EMR and CPOE: In Pursuit of a Contextualized Understanding of Health IT Use Behavior." *International Journal of Medical Informatics* 79 (2010): 71–80.
99. Smith, Laura B., Laura Banner, Diego Lozano, Christine M. Olney, and Bruce Friedman. "Connected Care: Reducing Errors through Automated Vital Signs Data Upload." *Computers Informatics Nursing* 27, no. 5 (2009): 318–23.
100. Menachemi, Nir, Randa M. Perkins, Daniel J. van Durme, and Robert G. Brooks. "Examining the Adoption of Electronic Health Records and Personal Digital Assistants by Family Physicians in Florida." *Informatics in Primary Care* 14 (2006): 1–9.
101. Hoyt, Robert, and Ann Yoshihashi. "Lessons Learned from Implementation of Voice Recognition for Documentation." *Perspectives in Health Information Management* (Winter 2010).
102. Esper, Gregory J., Oksana Droган, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
103. Holden, Richard J. "Physicians' Beliefs about Using EMR and CPOE: In Pursuit of a Contextualized Understanding of Health IT Use Behavior."
104. Smith, Laura B., Laura Banner, Diego Lozano, Christine M. Olney, and Bruce Friedman. "Connected Care: Reducing Errors through Automated Vital Signs Data Upload."
105. Menachemi, Nir, Randa M. Perkins, Daniel J. van Durme, and Robert G. Brooks. "Examining the Adoption of Electronic Health Records and Personal Digital Assistants by Family Physicians in Florida."
106. Hoyt, Robert, and Ann Yoshihashi. "Lessons Learned from Implementation of Voice Recognition for Documentation."
107. Smith, Laura B., Laura Banner, Diego Lozano, Christine M. Olney, and Bruce Friedman. "Connected Care: Reducing Errors through Automated Vital Signs Data Upload."
108. Ibid.
109. Esper, Gregory J., Oksana Droган, William S. Henderson, Amanda Becker, Orly Avitzur, and Daniel B. Hier. "Health Information Technology and Electronic Health Records in Neurologic Practice."
110. Hoyt, Robert, and Ann Yoshihashi. "Lessons Learned from Implementation of Voice Recognition for Documentation."
111. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
112. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
113. Lee, Jason, Carol Cain, Scott Young, Nancy Chockley, and Helen Burstin. "The Adoption Gap: Health Information Technology in Small Physician Practices."

114. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
115. Handel, Daniel A., and Jeffery L. Hackman. "Computers in Emergency Medicine: Implementing Electronic Health Records in the Emergency Department."
116. DeVore, Susan D., and Keith Figlioli. "Lessons Premier Hospitals Learned About Implementing Electronic Health Records." *Health Affairs* 29, no. 4 (2010): 664–67.
117. Cusack, Caitlin M. "Electronic Health Records and Electronic Prescribing: Promise and Pitfalls."
118. Handel, Daniel A., and Jeffery L. Hackman. "Computers in Emergency Medicine: Implementing Electronic Health Records in the Emergency Department."
119. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
120. Lee, Jason, Carol Cain, Scott Young, Nancy Chockley, and Helen Burstin. "The Adoption Gap: Health Information Technology in Small Physician Practices."
121. DeVore, Susan D., and Keith Figlioli. "Lessons Premier Hospitals Learned About Implementing Electronic Health Records."
122. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
123. Lee, Jason, Carol Cain, Scott Young, Nancy Chockley, and Helen Burstin. "The Adoption Gap: Health Information Technology in Small Physician Practices."
124. Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings."
125. Ibid.
126. Brailer, David. "Interview: Guiding the Health Information Technology Agenda." *Health Affairs* 29, no. 4 (2010): 586–95.

Table 1

Projected Benefits and Potential Barriers of HIT Implementation

Projected Benefits	Potential Barriers
Increased quality of healthcare	Initial cost
Reduction of medication errors	Physician resistance
Improvement of patient health outcomes	Lack of funding
Reduction in health disparities	Fear of change
Cost savings	Privacy and security
Improved patient safety	Concerns of return on investment
Augmented chronic disease management	Lack of vision

Table 2


Clinical Workflow Tasks

Administrative	Clinical
<ul style="list-style-type: none"> ▪ Schedule appointments ▪ Document patient information ▪ Retrieve and store patient medical records ▪ Process billing and claims ▪ Communication 	<ul style="list-style-type: none"> ▪ Medical treatment (triage) ▪ Record patient history ▪ Examine and assess patients ▪ Develop treatment plans ▪ Provide patient education ▪ Prescribe medication ▪ Order procedures (e.g., vaccinations, x-rays,) and lab tests ▪ Clinical follow-up with patients

Source: Adapted from Jason Lee and Adele Shartzter. *Questions and Answer Brief: Health IT and Workflow in Small Physicians' Practices*. NIHCM Foundation, April 2005. Available at <http://www.nihcm.org/pdf/AHRQ-QandA.pdf>.

Figure 1

Phases of EHR Implementation



Source: Adapted from Lorenzi, Nancy M., Angelina Kouroubali, Don E. Detmer, and Meryl Bloomrosen. "How to Successfully Select and Implement Electronic Health Records (EHR) in Small Ambulatory Practice Settings." *BMC Medical Informatics and Decision Making* 9, no. 15 (2009). Available at <http://www.biomedcentral.com/1472-6947/9/15>.

Figure 2

Essential Elements for Successful Integration of EHR Technology, Clinical Workflow, and Meaningful Use




Figure 3

Sample Workflow Assessment

1. Estimate the number of patients seen in your office in a typical day.	1–10	10–20	20–40	40–60	60–100+
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. How is delivery of patient care documented?	Written <input type="checkbox"/>		Electronic <input type="checkbox"/>		Paper/Electronic <input type="checkbox"/>
3. Estimate the length of time it takes to document patient information.	1–3 minutes <input type="checkbox"/>	3–5 minutes <input type="checkbox"/>	5–10 minutes <input type="checkbox"/>	10–15 minutes <input type="checkbox"/>	15–20 minutes <input type="checkbox"/>
4. How readily can staff generate reports about patient history, using your current medical recording methods?	Readily <input type="checkbox"/>	Somewhat readily <input type="checkbox"/>	With some difficulty <input type="checkbox"/>	With much difficulty <input type="checkbox"/>	Unable to generate <input type="checkbox"/>
5. How often does your practice evaluate clinical workflow patterns?	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Every six months <input type="checkbox"/>	Yearly <input type="checkbox"/>	Never <input type="checkbox"/>
6. What workflow areas would you like to improve in your office?	<input type="checkbox"/> Use of resources <input type="checkbox"/> Scheduling of appointments <input type="checkbox"/> Patient follow-up <input type="checkbox"/> Billing <input type="checkbox"/> Ordering procedures <input type="checkbox"/> Maintenance/storage of patient records <input type="checkbox"/> Ordering lab tests <input type="checkbox"/> Documentation of patient information <input type="checkbox"/> Other: _____ <input type="checkbox"/> Timely review of lab results and procedures <input type="checkbox"/> Tracking patient self-management and progress				
7. On average, how many new and refill prescriptions does your office write daily?	1–5 <input type="checkbox"/>	5–10 <input type="checkbox"/>	10–15 <input type="checkbox"/>	>15 <input type="checkbox"/>	None <input type="checkbox"/>
8. Estimate the number of lab tests ordered daily.	1–5 <input type="checkbox"/>	5–10 <input type="checkbox"/>	10–15 <input type="checkbox"/>	>15 <input type="checkbox"/>	None <input type="checkbox"/>
9. Estimate the number of procedures ordered daily.	1–5 <input type="checkbox"/>	5–10 <input type="checkbox"/>	10–15 <input type="checkbox"/>	>15 <input type="checkbox"/>	None <input type="checkbox"/>
10. How does your office receive lab and procedure results?	Fax <input type="checkbox"/>	Electronic <input type="checkbox"/>	Messenger delivery <input type="checkbox"/>	E-mail <input type="checkbox"/>	Regular mail <input type="checkbox"/>

Figure 4

Clinical Workflow Process Diagram

