

**Table 10**

Residents with Pneumonia (7)

<b>Alerts</b>	<b>Triggers</b>	<b>Active Triggers (2471)</b>	
Dehydration	Left 25% or more of food uneaten.	743	30.07%
	Dehydrated. Output exceeds input.	96	3.89%
Skin integrity	Bladder incontinent.	385	15.58%
	Bowel incontinent.	73	2.95%
	Turning or repositioning program has not occurred (within last 6 hours).	63	2.55%
Improvement in condition	Walk in room decreased from 8 to 3	77	3.12%
	Regular bowel movement has not occurred (within last 72 hours).	57	2.31%
	Bladder continence decreased from 3 to 2	55	2.23%
	Walk in corridor decreased from 8 to 3	53	2.14%
	Locomotion on unit decreased from 4 to 3	50	2.02%
	Locomotion off unit decreased from 4 to 3	47	1.90%
	Behavioral symptoms decreased from 2 to 0	31	1.25%
	Bladder continence decreased from 4 to 2	28	1.13%
	Personal hygiene decreased from 4 to 3	28	1.13%
	Bed mobility decreased from 4 to 3	28	1.13%
	Decision making decreased from 2 to 0	27	1.09%
	Walk in corridor decreased from 4 to 3	27	1.09%
Decline in condition	Dressing decreased from 4 to 3	18	0.73%
	Eating increased from 2 to 3	29	1.17%
	Overall condition changed from 0 to 2	25	1.01%