

**Table 4**  
Residents with Alzheimer's Disease (13)

<b>Alerts</b>	<b>Triggers</b>	<b>Active Triggers (5578)</b>	
Dehydration	Left 25% or more of food uneaten.	1571	28.16%
	Dehydrated. Output exceeds input.	174	3.12%
Skin integrity	Bladder incontinent.	1181	21.17%
	Bowel incontinent.	215	3.85%
	Turning or repositioning program has not occurred (within last 6 hours).	206	3.69%
Improvement in condition	Bladder continence decreased from 3 to 2	145	2.60%
	Sad or anxious increased from 1 to 2	83	1.49%
	Locomotion on unit decreased from 4 to 3	79	1.42%
	Decision making decreased from 2 to 1	79	1.42%
	Locomotion off unit decreased from 4 to 3	72	1.29%
	Walk in corridor decreased from 8 to 3	64	1.15%
	Decision making decreased from 2 to 0	55	0.99%
	Bladder continence decreased from 4 to 2	55	0.99%
	Locomotion off unit decreased from 8 to 3	41	0.74%
Walk in room decreased from 8 to 3	35	0.63%	
Decline in condition	Decisions of daily life severely impaired.	65	1.17%
	Locomotion off unit increased from 2 to 3	38	0.68%
	Eating increased from 0 to 3	31	0.56%
Constipation	Regular bowel movement has not occurred (within last 72 hours).	57	1.02%